2019 Maths Arithmetic Paper Mark Scheme

Note that the questions in this paper have been rearranged by year group. In the table below, the first column donates the position in this paper, whereas the second column shows where the question was positioned in the original test paper.

Question Number	Original question number	Domain	Answer(s)	Marks
1	3	3N3	20	1m
2	4	3C4/3C1	336	1m
3	11	3C2	22 Do not accept -22	1m
4	12	3C4/3C1	8	1m
5	1	4N3a	6,090	1m
6	2	4C2	8,357	1m
7	5	4C7	369	1m
8	7	4C6b	60	1m
9	8	4C6a	10	1m
10	9	4C6b	0	1m
11	13	4C6b	110	1m
12	19	4F8	4.75	1m
13	21	4F8	7.1	1m
14	6	5F8	8.993	1m
15	10	5C6a	13	1m
16	16	5C5d	27	1m
17	17	5C6b	101,000	1m
18	34	5F5	17 ½ or equivalent (e.g. 70/4, 35/2, or 17.5)	1m
19	35	5F5	450	1m
20	14	6F9a	253.4	1m
21	15	6C9	10	1m
22	18	6R2	600 Do not accept 600%	1m
23	20	6F9a	0.009	1m
24	22	6F4	$\frac{6}{7}$ (or equivalent)	1m
25	23	6C7a	22,572 If the answer is incorrect, award ONE mark for a formal method of long multiplication with no more than ONE arithmetic error	2m
26	24	6F4	19/20 (or equivalent, including 0.95)	1m
27	25	6C7b	24 If the answer is incorrect, award ONE mark for a formal method of long multiplication with no more than ONE arithmetic error	2m
28	26	6F4	3 3/10 (or equivalent, including 33/10 or 3.3)	1m
29	27	6R2	112	1m

			Do not accept 112%	
30	28	6F4	23 36 (or equivalent)	1m
31	29	6R2	459	1m
			Do not accept 459%	1111
32	30	6C7a	215,016	2m
			If the answer is incorrect, award ONE mark for a formal	
			method of long multiplication with no more than ONE	
			arithmetic error	
33	31	6F5b	$\frac{2}{9}$ (or equivalent)	1m
34	32	6F4	1 ¾ (or equivalent, including 7/8, or 1.75)	1m
35	33	6R2	162	1m
			Do not accept 162%	
36	36	6C7b	97	2m
			If the answer is incorrect, award ONE mark for a formal	
			method of long multiplication with no more than ONE	
			arithmetic error	

2019 Maths Paper 2: Reasoning Mark Scheme

Note that the questions in this paper have been rearranged by year group. In the table below, the first column donates the position in this paper, whereas the second column shows where the question was positioned in the original test paper.

Question Number	Original question number	Domain	Answer(s)	Marks
1	1	3C6	Award one mark for all three correct answers: $4 \times 8 = 32$, $3 \times 7 = 21$, $4 \times 3 = 12$	1m
2	7	3M2c	2.5 or 2 ¹ / ₂	1m
3	2	4N2b	8,072	1m
4	6	4F1/3C8	10	1m
5a	11a	4F6a	0.25	1m
5b	11b	4M9/3M9a	65(p) OR (£)0.65	1m
6	4	5P2	Diagram completed, as shown:	1m
7	9	4C3/5C7b	Award TWO marks for the correct answer of 124 If the answer is incorrect, award ONE mark for evidence of an appropriate method, e.g. 953 – 85 = 868 868 ÷ 7	2m
8	12	5F6b/5F6a	Both symbols correct, as shown: $ \frac{7}{10} 0.07 > $ $ \frac{23}{1000} < 0.23$	1m
9	14	5N4	Award TWO marks for the correct completion of the three numbers in the table, as shown: Round 39,476 to the nearest 10,000 to the nearest 1,000 39,000 If the answer is incorrect, award ONE mark for any two of the numbers rounded correctly.	Up to 2m

10	15	5F12/5S1	25	1m
11	18	5C5c	Award ONE mark for a correct explanation of why the 95 AND 87 are NOT prime, e.g.	1m
			• 87 is divisible by 3 and/or 29 AND 95 is divisible by 5	
			 and/or 19 87 is in the 3 times table AND 95 is in the 5 times table 	
			 95 is divisible by five because every number in the five 	
			times table ends in five or zero. 87 is divisible by three	
			because 9 is in the three times table so is ninety. Ninety	
			minus three is 87	
42	220	FC2/2F1h	• 8 + 7 = 15 and 15 is divisible by 3 AND 95 is divisible by 5	4
12	22a 3	5S2/3F1b 6N2	2/5 (or equivalent) Award ONE mark for the four numbers matched correctly, as	1m 1m
13	3	OINZ	shown:	1111
			1,009,909 1st largest	
			1,023,065 2 nd	
			1,023,063	
			1,009,099 3 rd	
			1,230,650 4 th smallest	
14	5	5C1/6A3	Award TWO marks for three correct numbers, as shown:	Up to
			110 155 200 245 290 335	2m
			Award ONE mark for:	
			any two numbers correctly placed	
			OR	
			if box 1 is correct, accept correct follow-through for box 3	
150	8a	6A3	from the incorrect value in box 2.	1m
15a	Od	CAS	11 written in the first box, as shown:	7111
			11 25 53	
15b	8b	6A3	109 written in the last box, as shown:	
			25 53 109	1m
16	10	6A2/6C9	Second box only ticked correctly, as shown:	
			number of tickets \times 24 + 3 \checkmark	1m
17	13	6G3a	Award TWO marks for a completed triangle that has all of the	Up to
			following three points:	2m
			 an angle in the range 33° to 37° inclusive for the angle marked 35° 	
			 an angle in the range 88° to 92° inclusive for the right angle 	

			 the triangle has been drawn on an 8cm line (either on the given line or a line drawn), provided they have constructed both angles within the tolerance of the line 7.9cm to 8.1cm. 	
			If the answer is incorrect, award ONE mark for a completed triangle and two of the three points correct.	
18	16	6C9	4	1m
19	17	6M7a/5M7b	Award TWO marks for the correct answer of 144	
			If the answer is incorrect, award ONE mark for evidence of an appropriate method	2m
20	19	6R1/6M5	Award TWO marks for the correct answer of 3.75	
			If the answer is incorrect, award ONE mark for evidence of an	2m
			appropriate method	
21	20	6F11	Award TWO marks for two boxes ticked correctly, as shown: $\frac{1}{20}$ $\frac{20}{40}$	Up to 2m
			$ \begin{array}{c c} \hline 1 \\ \hline 5 \\ \hline \end{array} $ $ \begin{array}{c c} 3 \\ \hline 15 \\ \hline \end{array} $	
			If the answer is incorrect, award ONE mark for: only one box ticked correctly and no incorrect boxes ticked two boxes ticked correctly and one incorrect box ticked.	
22	21	6G3a/5C5d	Rectangle divided, as shown or equivalent reflection:	1m
23	22b	6S3/5F10	Award TWO marks for the correct answer of 10.7 If the answer is incorrect, award ONE mark for evidence of an appropriate method, e.g. • 8.1 + 9.3 + 11.9 + 11.8 + 12.4 = 53.5 53.5 ÷ 5	Up to 2m
24	23	6M8a/6C8	720 If the answer is incorrect, award ONE mark for evidence of an appropriate method, e.g.	2m

	• 3 × 4 × 6 = 72	
	8 × 9 × 11 = 792	
	792 – 72 =	
	Award ONE mark for sight of 792	

2019 Maths Paper 3: Reasoning 2 Mark Scheme

Note that the questions in this paper have been rearranged by year group. In the table below, the first column donates the position in this paper, whereas the second column shows where the question was positioned in the original test paper.

Question Number	Original question number	Domain	Answer(s)	Marks
1	5	3C4/3N3	Addition completed, as shown 1 2 8 + 7 2 = 2 0 0	1m
2	14	3M4e	91	1m
3	1	4N2b/3N2b	£7,899	1m
4	6	4F10b/4M9	Award TWO marks for the correct answer of £6.87 If the answer is incorrect, award ONE mark for evidence of an appropriate method.	2m
5	7a	3M1b/4S2	155	1m
6	8	4C4/4C2	Award TWO marks for the correct answer of 1,356	Up to
			If the answer is incorrect, award ONE mark for evidence of an appropriate method.	2m
7	9	4S2/4N4a	2,250	1m
8	13	4G4	An explanation that includes a correct counter example, e.g. When you double 10° it is not obtuse, or 2 × 27° = 54°, or Double 45° is a right angle not obtuse. Or An explanation that demonstrates where the statement in the question is not correct, e.g. If the acute angle is less than 45° then doubling it will be less than 90°, so it won't be obtuse (more than 90°).	1m
9	4	5F8/3M1b	Masses in correct order, as shown: 0.009 kg 0.99 kg 1.025 kg 1.25 kg	1m
10	7b	5S1	Table completed with three correct numbers, as shown:	1m
10			Mass in g Number of kittens	
			250-299 2	
			300-349 3	
			350-399 2	
			400-449 1	
11	16	5M9c/5M9a	Award TWO marks for the correct answer of £1.85.	Up to 2m

			If the answer is incorrect, award ONE mark for evidence of an	
12	18	5F3	appropriate method. Award TWO marks for three boxes ticked correctly:	
12		353	$ \frac{1}{2} \boxed{\checkmark} $ $ \frac{2}{8} \boxed{\checkmark} $ $ \frac{3}{4} \boxed{} $ $ \frac{7}{16} \boxed{\checkmark} $	Up to 2m
			<u>24</u> 32	
			Award ONE mark for:	
			only two boxes ticked correctly and no incorrect boxes ticked	
			OR	
			three boxes ticked correctly and one incorrect box ticked.	
13a	21a	5G2a/4P3a	B is (55, 30)	1m
13b	21b	5G2a/4P3a	D is (55, 14)	1m
			If B and D are incorrect, ONE mark may be given for the	
			correct \boldsymbol{y} coordinate for both B and D and the same \boldsymbol{x}	
			coordinate (incorrect) for both points, i.e. D is (same <i>x</i> as B, 14)	
14a	2a	6N3	7	1m
14b	2b	6N4	4,000,000	1m
15	3	6A1	Award ONE mark for the correct box ticked, as shown: $10 - \boldsymbol{a} \sqrt{\boldsymbol{a}}$	1m
16a	10a	6P3/4P3b	Quadrilateral completed, as shown:	1m
			-6 -5 -4 -3 -2 -1 0/ 1 2 3 4 5 6 x -1 -2 -3 -3 -5 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6 -6	
16b	10b	6P2/5P2	Quadrilateral translated correctly, as shown:	1m

			-6 -5 -4 -3 -2 -1 0/ 1 2 3 4 5 6 x -6 -5 -4 -3 -2 -1 0/ 1 2 3 4 5 6 x -7 -2 -3 -3 -4 -4 -5 -6 -6	
17	11	6C5	Award two marks for all four numbers correctly placed each time, or award one mark for three numbers correctly placed each time. Number 3 = prime, factor of 12, factor of 15 Number 4 = factor of 12 Number 5 = prime, factor of 15 Number 6 = factor of 12	Up to 2m
18	12	6R3/5M9b	Award ONE mark for two correct answers, as shown: length = 19 cm width = 9.1 cm	1m
19	15	6M6/6R1	400	1m
20	17	6A4	Award ONE mark for any pair of whole numbers less than 10 that satisfy the equation, i.e. $x = 8$ AND $y = 6$ OR $x = 6$ AND $y = 7$ OR $x = 4$ AND $y = 8$ OR $x = 2$ AND $y = 9$	1m
21	19	6C8	Award THREE marks for the correct answer of 7,174 If the answer is incorrect, award TWO marks for evidence of an appropriate complete method which contains no more than one arithmetic error. Award ONE mark for evidence of an appropriate method with more than one arithmetic error. OR • sight of 3,604 as evidence of long multiplication step (68 × 53) completed correctly.	Up to 3m

			OR sight of 3,570 as evidence of long multiplication step (105 \times 34) completed correctly.	
22	20	6C7b/6C8	Award TWO marks for the correct answer of 29 If the answer is incorrect, award ONE mark for evidence of an appropriate method.	Up to 2m
23	22	6G2a/5G2a	10.5 (cm)	1m
24	23	6R1	An explanation that gives the correct values for PQ and/or QR, e.g. PQ = 640m, or QR is 160, 160 times 4 is not 600m. OR An explanation recognising PR is 800m and must be 5 times QR OR An explanation that PQ is not 600m, e.g. if it was 600m then the shorter distance would be 200m if added to make 800m, 600m is 3 times 200, not 4 times.	1m